





THUNDERBIRD

FORMULA/SIGNA
1979





THUNDERBIRD

Find something of yourself in a Thunderbird

Good fortune has smiled on you. You know precisely who you are — you know boats as well as you know yourself — and believe that quality of boating experience should reflect a quality of life.

Thunderbird builds boating experiences that are an extension of lifestyle and personality. There's an expression that Thunderbird makes more than boats: Thunderbird boats and proud owners are somehow made for each other.

You may find something of yourself in a Thunderbird cruiser, in a performance boat...or in the family class. And you'll find consistent detail, accommodations and integrity of design and construction regardless of size.


Discover the Thunderbird right for you. Experience prestige, fine performance and the most distinct quality ever to make an escape to open water □

You and a Thunderbird Formula cruiser have much in common. You both like to break away to far places.

Profile. You're successful, have spare time because you've planned it that way, and the fine things in life are yours. Now there's an important decision to make:

Should you buy that second home? Or, do you move up to that cruiser you've always dreamed of? (So you can still go where you wish and have more fun getting there.)

Now it's time for you health lovers to pamper yourselves in style, with all the conveniences of a second home. A home that can go with you to another port or far place this side of the sun □





Performance



Family



Let your independent spirit lead you. And escape to warm breezes with no destination.

Profile. You're young enough to have excitement and spontaneity high on your list of life's priorities. But you're old enough to know that hard work and a career provide the means to really enjoy life. You know what quality is, you appreciate it. And detail is very important...in stereo equipment, in your fine automobile...and especially in boats.

You're on your own, or you and your spouse agree that classic boat performance means excitement, of course, but much more. It means every finely-tuned instrument in its place. And it means full accommodations on deck...and below deck. Down to the last detail.

Find something of yourself. Then escape and discover performance in a class by itself □

Skating, diving, swimming, fishing or flat-out fun. You and your active family can find yourselves in a Thunderbird, going where the action is.

Profile. Personal success is very important to you. But a successful family life is equally important. As you climb the ladder in your work, you want your family with you every step of the way. When it comes time to play, you and your band of action seekers have water sports in common — and the need for a versatile boat to get you where the fun is.

Your budget rates family recreation a high priority, so you're looking for value that won't let you down.

A family boat of consistent Thunderbird quality is a sound investment and a true boating value — offering countless possibilities for priceless family experiences □



FORMULA 26 SEDAN CRUISER



FORMULA 26 SEDAN CRUISER

Specifications

Centerline Length	26'2"	7.98 m
Maximum Beam	9'6"	2.90 m
Approximate Weight [Twin 228 Mercs]	7200 lbs.	3265 kg
Fuel Capacity	132 gal.	500 l
Fresh Water	42 gal.	159 l

Power Options

Twin	
MerCruiser	Volvo
165	200
170	225
198	
228	
260	

Standard Equipment

Fire extinguisher
Hull feature stripes
Hydraulic firm tabs
Venting portlights with screens (4)
Fixed portlights (2)
Stainless bow rail and fittings
Stainless bow and stern eyes
Stainless deck cleats and chocks
Stainless stern rail and fittings
Dual trumpet horn
Forward bronze acrylic hatch with screen
Forward bronze acrylic deadlight
International navigation lights
Tempered glass windshield

Courtesy lights
Lighted engine compartment
Battery and battery tray (with twin engines-2)
Bilge pump
Blower (2)
Aluminum fuel tanks (2-55 gal. each)
Fresh water storage tank (42 gal.)
Beige fiberglass cockpit liner
Bronze tempered glass salon enclosure sliding door with screen
Bronze tempered glass salon sliding windows with screens
Teak accent throughout
Coordinated interior decor

Salon side storage
Convertible sofa and hi-lo table
Push pile salon and cabin carpet
Acoustical vinyl headliner
Interior lights (6)
Complete cabin galley - stainless sink, 2 burner stove, ice box, storage drawers and cabinets
PORTA POTTI in private fiberglass unit with vanity lavatory and mirror
Private forward stateroom with upholstered V-bath
Under berth storage
Hanging locker (2)
Forward rope locker
Lower helm station unit

Standard without flybridge - Optional with flybridge

Stainless Destroyer wheel
Mechanical steering (hydraulic with upper or dual station)
Deluxe compass
Speedometer
Tachometer
Engine hour meter

Electric fuel gauge
Amp gauge
Oil pressure gauge
Temperature gauge
Engine firm indicator
Rheostat controlled annunciator panel

Cigarette lighter with chart light
Clock
Windshield wipers (2)
Helmman seat

Optional Equipment

Two-tone hull
5" remote control spot floodlight
Windshield wipers (2)
Deck sun pad
Teak swim platform with boarding ladder
Folding salon chair
Rear slide-away lounge
AM/FM stereo with tape - 4 speakers
Hydraulic steering

Dual station spotlight switch
Drapery package
Windshield cover
Shower
Hot water heater - shower package (heat exchanger and 110V)
Head - self-contained with pump out
LECTRA-SAN waste treatment system
110V shore power

110V shore power plus deluxe 12V converter charger
12V 110V refrigerator
Electric alcohol stove
Electric stove with oven
110V electric heater
110V air conditioner - 1 ton, 12,000 BTU reverse cycle
Generator - 3.0 KW remote start with muffler

Optional Flybridge Unit

Hydraulic steering
Stainless steering wheel
Deluxe compass
Speedometer
Tachometer
Engine hour meter
Electric fuel gauge
Amp gauge
Oil pressure gauge

Temperature gauge
Engine firm indicator
Rheostat controlled annunciator lights
Cigarette lighter with chart light
Acrylic instrumentation cover
Full width bridge seating

Bronze acrylic ventral windscreen
Stainless wrap around interior grab rail
Stainless access ladder
Stainless external grab rails (2)

Optional Flybridge Accessories

Bimini top
Bimini top full enclosure
Protective cover

Soft type tempered glass windshield

Convertible top
Side and aft curtains



FORMULA 26 EXPRESS CRUISER



FORMULA 26 EXPRESS CRUISER

Specifications

Centerline Length	26'2"	7.98 m
Maximum Beam	9'6"	2.90 m
Approximate Weight (Twin 228 Merc)	6600 lbs.	2994 kg
Fuel Capacity	132 gal.	500 l
Fresh Water	25 gal.	95 l

Power Options

Twin	
Mercruiser	Volvo
165	200
170	225
198	
228	
260	

Standard Equipment

Fire extinguisher	Glove box with lock
Hull feature stripes	Passenger grab bar
Hydraulic trim tabs	Courtesy lights
Venting portlights with screens (4)	Twin pedestal seats
Fixed portlights (2)	Large ski storage racks
Stainless bow rail and fittings	Convertible top with full camper enclosure
Stainless bow and stern eyes	Lighted engine compartment
Stainless deck cleats and chocks	Battery and battery tray (with twin engines-2)
Stainless stern rail and fittings	Bilge pump
Dual trumpet horn	Blowers (2)
Forward bronze acrylic hatch with screen	Aluminum fuel tanks (2—66 gal each)
Forward bronze acrylic deadlight	Fresh water storage tank (25 gal)
International navigation lights	Beige fiberglass cockpit liner
Tempered glass windshield	Bronzelone sliding door with lock and privacy curtain
Windshield wipers (2)	Teak accent throughout
Deluxe steering wheel	Deluxe vinyl cabin interior
Mechanical steering	Acoustical vinyl headliner
Padded dash	Soft pile indoor/outdoor cabin carpet
Deluxe compass	Complete cabin galley—stainless sink, 2-burner stove, ice box, storage drawers and cabinets
Speedometer	Overhead galley storage
Tachometer	Head—PORTA POTTI
Engine hour meter	Vanity lavatory with mirror
Electric fuel gauges	Hanging locker with teak door
Amp gauge	Convertible dinette table—upholstered V-berth
Oil pressure gauge	Under berth storage
Temperature gauge	Cabin lights (4)
Trim indicator	
Rheostat controlled annunciator panel	
Clock	
Cigarette lighter with chart light	

Optional Equipment

Two-tone hull	Rear slide-away lounge
5" remote control spot-floodlight	AM-FM stereo with tape—4 speakers
Deck sun pad	Hanging berths (2)
Teak swim platform with boarding ladder	Head—self-contained with pump-out LECTRA-SAN waste treatment system
Port fold-down seat with storage (double wide)	Shower
Starboard seat with wetbar and cooler	110V shore power
Teak cockpit grates	110V shore power plus deluxe 12V converter charger
Snap-in indoor/outdoor cockpit carpet	12V-110V refrigerator
	Electric alcohol stove



FORMULA 255 VANGUARD



FORMULA 255 VANGUARD

Specifications

Centerline Length	25'5"	7.75 m
Maximum Beam	8'0"	2.44 m
Approximate Weight (260 Merc)	6384 lbs.	2895 kg
Fuel Capacity	110 gal.	469 l
Fresh Water	16 gal.	61 l
Maximum Capacity	2500 lbs.	1134 kg

Power Options

	Single		Twin	
MerCruiser	OMC	Volvo	MerCruiser	Volvo
260	260	260	165	200
			170	225
			198	
			228	
			260	

Standard Equipment

BIA certified	Cigarette lighter with chart light
Safety foam flotation	Upper cabin dinette — converts to sleeper
Fire extinguisher	Upper cabin canvas enclosure with access panel
Teak swim platform	Complete galley — stainless sink, 2 burner stove, ice box, storage drawers and cabinet
Hull feature stripes	Coaming trim panels
Venting portlights with screens (4)	Deluxe vinyl interior
Stainless bow rail and fittings	Fiberglass engine compartment with hatch covers
Stainless stem rails, fittings and chains	Engine compartment lights (2)
Stainless deck cleats and chocks	Battery and battery case
Stainless bow and stern eyes	Bilge pump
Dual trumpet horn	Blower
Forward bronze acrylic hatch with screen	Aluminum fuel tank (110 gal)
Anchor locker bronze acrylic hatch with screen	Beige fiberglass liner
International navigation lights	Teak louvered forward cabin door with lock and screen
Tinted tempered glass windshield	Fully upholstered cabin interior
Windshield wipers (2)	Teak accent throughout
Deluxe steering wheel	Push carpeted headliner
Mechanical steering	Soft pile indoor/outdoor cabin carpet
Deluxe compass	Head — PORTA POTTI
Speedometer	Vanity lavatory with mirror
Tachometer	Private shower
Engine hour meter	Convertible dinette table — V-berth
Electric fuel gauge	Cabin lights (4)
Amp gauge	Under berth storage
Oil pressure gauge	Cabin navigation station
Temperature gauge	Chart light with red lens
Trim indicator	
Rheostat controlled annunciator panel	
Courtesy lights	

Optional Equipment

Two-tone hull	12V-110V refrigerator
5" remote control spot-floodlight	Electric-alcohol stove
Hydraulic trim tabs	AM-FM stereo with tape — 4 speakers
110V shore power	Head — self-contained with pump-out
110V shore power plus deluxe 12V converter charger	Upper cabin sliding door enclosure with screen



FORMULA 255 FREEDOM CRUISER



FORMULA 255 FREEDOM CRUISER

Specifications

Centerline Length	25'5"	7.75 m
Maximum Beam	8'0"	2.44 m
Approximate Weight (Twin 228 Merc)	6095 lbs.	2765 kg
Fuel Capacity	124 gal.	469 l
Fresh Water	16 gal.	61 l
Maximum Capacity	2500 lbs.	1134 kg.

Power Options

		Single		Twin	
Mercruiser		OMC	Volvo	Mercruiser	Volvo
260		260	260	165	200
330 TR				170	225
				198	
				228	
				260	

Standard Equipment

BIA certified	Twin pedestal seats
Safety foam flotation	Large ski storage racks
Fire extinguisher	Coaming trim panels
Teak swim platform	Deluxe vinyl interior
Hull feature stripes	Snap-in indoor/outdoor cockpit carpet
Venting portlights with screens (4)	Rear lounge — converts to double berth
Stainless bow rail and fittings	Solid teak convertible top cover
Stainless deck cleats and chocks	Convertible top with full camper canvas and screens
Stainless bow and stern eyes	Fiberglass engine compartment with hatch covers
Dual trumpet horn	Engine compartment lights (2)
Forward bronze acrylic hatch with screen	Battery and battery case
Anchor locker bronze acrylic hatch with screen	Bilge pump
International navigation lights	Blower
Tinted tempered glass windshield	Aluminum fuel tank (124 gal)
Windshield wipers (2)	Beige fiberglass liner
Deluxe steering wheel	Teak louvered cabin door with lock and screen
Mechanical steering	Fully upholstered cabin interior
Deluxe compass	Teak accent throughout
Speedometer	Plush carpeted headliner
Tachometer	Soft pile indoor/outdoor cabin carpet
Engine hour meter	Complete cabin galley — stainless sink, 2-burner stove, ice box, storage drawers, cabinet and teak dish rack
Electric fuel gauge	Head — PORTA POTTI
Amp gauge	Vanity lavatory with mirror
Oil pressure gauge	Private shower
Temperature gauge	Convertible dinette table — V-berth
Trim indicator	Under berth storage
Rheostat controlled annunciator panel	Cabin lights (4)
Courtesy lights	
Clock	
Cigarette lighter with chart light	
Passenger grab bar	

Optional Equipment

Two-tone hull	12V-110V refrigerator
5" remote control spot-floodlight	Electric-alcohol stove
Hydraulic trim tabs	AM-FM stereo with tape — 4 speakers
110V shore power	Head — self-contained with pump-out
110V shore power plus deluxe 12V converter charger	



FORMULA 255 CASTAWAY



FORMULA 255 CASTAWAY

Specifications

Centerline Length	25'5"	7.75 m
Maximum Beam	8'0"	2.44 m
Approximate Weight (Twin 198 Merc)	6324 lbs.	2869 kg
Fuel Capacity	124 gal.	469 l
Fresh Water	16 gal.	61 l
Maximum Capacity	2500 lbs.	1134 kg

Power Options

	Single		Twin	
Mercruiser	OMC	Volvo	Mercruiser	Volvo
260	260	260	165	200
			170	225
			198	
			228	
			260	

Standard Equipment

BIA certified	Courtesy lights
Safety foam flotation	Clock
Fire extinguisher	Cigarette lighter with chart light
Teak swim platform	Passenger grab bar
Hull feature stripes	Deluxe Bimini top with side and aft curtains
Venting portlights with screens (6)	Twin pedestal bucket seats
Stationary portlights (2)	Folding deck chairs (2)
Stainless deck cleats and chocks	Teak cockpit coaming cover boards
Stainless bow rail and fittings	Fiberglass engine compartment
Stainless stem rails, fittings and chains with vinyl-coated lifelines	Engine room lights (2)
Stainless bow and stern eyes	Battery and battery case
Dual trumpet horn	Bilge pump
Forward bronze acrylic hatch with screen	Blower
Anchor locker bronze acrylic hatch with screen	Aluminum fuel tank (124 gal)
Bronze acrylic entry hatch	Beige fiberglass liner
International navigation lights	Teak louvered cabin door with lock and screen
Skiff type, tempered glass windshield or bronze acrylic venturi windscreen	Fully upholstered cabin interior
Stainless steering wheel	Teak accent throughout
Mechanical steering	Plush carpeted headliner
Acrylic instrumentation cover	Soft pile indoor/outdoor cabin carpet
Padded dash	Complete cabin galley — stainless sink, 2-burner stove, ice box, storage drawer, cabinet and teak dish rack
Deluxe compass	Convertible dinette table — V-berth
Speedometer	Under berth storage
Tachometer	Cabin lights (5)
Engine hour meter	Head — PORTA POTTI
Electric fuel gauge	Vanity lavatory with mirror
Amp gauge	Private shower
Oil pressure gauge	Master sleeping compartment with double berth and storage shelves
Temperature gauge	Privacy curtain for aft cabin
Trim indicator	
Rheostat controlled annunciator panel	

Optional Equipment

Two-tone hull	12V-110V refrigerator
5' remote control spot-floodlight	Electric-alcohol stove
Hydraulic trim tabs	AM-FM stereo with tape — 4 speakers
110V shore power	Head — self-contained with pump-out
110V shore power plus deluxe	Full camper canvas
12V converter charger	



FORMULA 302
Special Edition



DESIGN: PAT. PEND.

FORMULA 302

Special Edition Specifications

Centerline Length	30'2"	9.2 m
Maximum Beam	8'0"	2.44 m
Approximate Weight	6950 lbs.	3152.5 kg
Fuel Capacity	155 gal.	587 l

Standard Equipment

Fire extinguishers (2)	Rear lounge seat
Teak swim platform	Full rear sun lounge with
Special tri-color hull	gas cylinder lifts — custom
Hull accent stripes	engine compartment
Deck accent stripes	Beige fiberglass cockpit
Venting portlights with	liner
screens (4)	Batteries and battery trays
Stationary portlights (4)	(2)
Stainless bow rail and fittings	Bilge pump
Stainless deck cleats and	Blowers (2)
chocks	Aluminum fuel tank
Stainless bow and stern eyes	(155 gal)
Stainless lifting ring	Fresh water storage tank
Dual trumpet horn	(25 gal)
5" remote control spot-	Bronze acrylic cabin door
floodlight	with lock and privacy
Forward bronze acrylic	curtain
hatches with screens (2)	Bronze acrylic entry hatch
International navigation	with screen
lights	Teak accent throughout
Tinted tempered glass	Coordinated interior decor
windshield	Soft pile indoor/outdoor
Windshield wipers (2)	cabin carpet
Padded steering wheel	Self-contained head in
Mechanical steering	private compartment
Padded dash	with mirror
Deluxe compass	Stainless sink with pressure
Speedometer	water system
Tachometers (2)	12V-110V refrigerator
Engine hour meter	Conversation area with
Electric fuel gauge	storage under
Amp gauges (2)	Game table
Oil pressure gauges (2)	Plush carpeted headliner
Temperature gauges (2)	Side storage shelves
Trim indicators (2)	Interior lights (5)
Rheostat controlled annun-	Private forward upholstered
ciator panel	V-berth
Safety kill switches	Under berth storage
Cockpit courtesy lights	Forward rope locker
Clock	AM-FM stereo with tape — 4
Cigarette lighter with chart	speakers
light	Cabin courtesy lights
Twin pedestal bucket seats	Twin 330 h.p. Mercruiser
Interior wrap-around grab	stern drives
rail	Stainless steel cleaver-type
Large ski storage racks	propellers
Coaming trim panels	Stainless steel external tie
Deluxe vinyl interior	bar
	Hydraulic trim tabs

Optional Equipment

110V shorepower	Snap-in cockpit carpet
110V shorepower with con-	Head — self-contained with
verter	pump out
Convertible top, side and	Heavy duty Aeromarine
aft curtain set	K-Planes
Cockpit cover	



FORMULA 255 LIBERATOR



FORMULA 255 LIBERATOR

Specifications

Centerline Length	25'5"	7.75 m
Maximum Beam	8'0"	2.44 m
Approximate Weight (Twin 260 Merc)	5822 lbs.	2641 kg
Fuel Capacity	124 gal.	469 l
Maximum Capacity	2500 lbs.	1134 kg

Power Options

Single		Twin	
MerCruiser	OMC	MerCruiser	Volvo
260	260	165	200
		170	225
		198	260
		228	
		260	
		330	

Standard Equipment

BIA certified Safety foam flotation Fire extinguisher Teak swim platform Hull feature stripes Venting portlights with screens (4) Stationary portlights (2) Stainless bow rail and fittings Stainless deck cleats and chocks Stainless bow and stern eyes Dual trumpet horn Forward bronze acrylic hatch with screen Anchor locker bronze acrylic hatch with screen International navigation lights Tinted tempered glass windshield Windshield wipers (2) Deluxe steering wheel Mechanical steering Padded dash Deluxe compass Speedometer Tachometer Engine hour meter Electric fuel gauge Amp gauge Oil pressure gauge Temperature gauge Trim indicator Rheostat controlled annunciator panel Courtesy lights Clock	Cigarette lighter with chart light Passenger grab bar Twin pedestal bucket seats Interior wrap-around grab bar Large ski storage racks Coaming trim panels Deluxe vinyl interior Snap-in indoor/outdoor cockpit carpet Rear lounge — converts to double berth Solid teak convertible top cover Convertible top with side and aft curtains Fiberglass engine compartment Engine compartment lights (2) Battery and battery case Bilge pump Blower Aluminum fuel tank (124 gal) Beige fiberglass liner Teak louvered cabin door with lock and screen Bronze acrylic entry hatch Fully upholstered cabin interior Teak accent throughout Soft pile indoor/outdoor cabin carpet Hanging locker with teak door Head — PORTA POTTI Game table Cabin lights (4) V-berth with privacy curtain Under berth storage
--	--

Optional Equipment

Two-tone hull 5" remote control spot floodlight Hydraulic trim tabs 110V shore power 110V shore power plus deluxe 12V converter charger Head — self-contained with pump-out	Entertainment center — 12V/110V refrigerator, AM-FM stereo with tape — 4 speakers, 16 gal water tank, stainless sink with demand water system
--	--



Performance

FORMULA 233 INTERCEPTOR



FORMULA 233 INTERCEPTOR

Specifications

Centerline Length	23'3"	7.09 m
Maximum Beam	8'0"	2.44 m
Approximate Weight (Twin 260 Merc)	5480 lbs.	2485 kg
Fuel Capacity	80 gal.	303 l
Maximum Capacity	2190 lbs.	993 kg

Power Options

	Single		Twin	
Mercruiser	OMC	Volvo	Mercruiser	Volvo
260	260	260	198	200
330 TRS		290	228	225
			260	260

Standard Equipment

BIA certified	Clock
Safety foam flotation	Interior wrap-around grab rail
Fire extinguisher	Twin pedestal bucket seats
Hull feature stripes	Deluxe vinyl interior
Teak swim platform	Coaming trim panels
Venting portlights with screens (2)	Large ski storage racks
Portlights-fixed (2)	Soft pile indoor/outdoor cockpit carpet
Stainless bow rail and fittings	Convertible top with side and aft curtains
Stainless deck cleats and chocks	Rear lounge seat
Stainless bow and stern eyes	Full rear sun lounge with gas cylinder lifts — custom engine compartment
Dual trumpet horn	Battery and battery case
Forward bronze acrylic hatch with screen	25 quart igloo cooler
International navigation lights	Bilge pump
Tinted tempered glass windshield	Blower
Windshield wipers (2)	Aluminum fuel tank (60 gal)
Deluxe steering wheel	Teak louvered cabin door with lock and screen
Mechanical steering	Fully upholstered cabin with teak accent throughout, side lounge seats (2) and teak arm rests with drink holders (2)
Padded dash	Soft pile indoor/outdoor cabin carpet
Deluxe compass	Plush carpeted headliner
Speedometer	Head — PORTA POTTI
Tachometer	Cabin shelving
Engine hour meter	V-berth
Electric fuel gauge	Under berth storage
Amp gauge	Cabin lights (2)
Oil pressure gauge	
Temperature gauge	
Trim indicator	
Rheostat controlled annunciator panel	
Courtesy lights	
Cigarette lighter with chart light	


Optional Equipment

- Two-tone hull
- Hydraulic trim tabs
- 5" remote control spot-floodlight
- AM-FM stereo with tape — 4 speakers
- Head — self-contained with pump-out



Galley is complete food preparation centers with creative use of teak, laminates and vinyl coverings. Notice rounded corners. No sharp edges.

Cruisers



We care about
what you see
and what you don't.



Performance



For lasting support and beauty, the teak is screwed in place with holes plugged and sanded. A refined finishing touch.



The elegant Hi-Lo drop leaf table is a typical yacht feature. Gas cylinder raises and lowers top. Converts from coffee table to dining height.



Teak, every inch, is dipped in a preservative; not simply wiped. Here a shower platform undergoes the immersion process.



Stainless steel, cockpit grab-rails are uniquely recessed and "blind" fastened. No bolts or sharp edges to snag swim suits.



When it comes with stainless steel installations.



Electrical panel for deluxe shore power option. Converter, circuit breakers and battery charger in one unit to supply A.C. and charge D.C. simultaneously.



Rugged, locking cabin doors are authentic teak, louvered for ventilation. Fully screened to keep out insects.



All deck fittings are thoroughly sealed with silicone. At the cleats, chocks, bow rail fittings and teak accent strips.




Hand laying fiberglass means extra time and effort. But consistent construction is well worth the special care.



Engines are exacting machines. We don't rely on "feel". We use

Many features available on all classes of boats. Some options not available on certain models.

The Difference? The Details.



Family



The optional galley is a complete food preparation center. It can be used for extended cruising or for weekend camping.



om Thunderbird, it
tion matched set of
ollers for all 330 TRS



The fine art of shaping stainless steel requires a special touch. Bow rails, ladders, all critical shapes, are formed and drilled only by our craftsmen.



Thunderbird people complete all upholstery installations. Constructing our own upholstery insures complete control of quality.



Venting portholes need screens to keep bugs out. Another Thunderbird point of satisfaction.



To protect you and your investment — a fire extinguisher is standard equipment.



led according to
urer specifications.
y tight a nut and bolt
ue wrench.



Just lift with your fingertips! High pressure gas cylinders raise rear sun lounge for easy access to engine compartment. No latches needed.



Hatches are clear acrylic with a bronze tint — and fully screened for a bug-proof cabin. They can't see in, but you enjoy sunlight by day and starlight by night.



Ingenious. Main function fuses are centrally located on the dash. The panel is accessible from the driver's seat.



The camper aft option offers plenty of head room for snug protection in foul weather. Complete with sewn-in screens and clear plastic, zipping windows.



FORMULA 233-C



FORMULA 233-C

Specifications

Centerline Length	23'3"	7.09 m
Maximum Beam	8'0"	2.44 m
Approximate Weight (Twin 165 Merc)	4550 lbs.	2064 kg
Fuel Capacity	80 gal.	303 l
Maximum Capacity	2190 lbs.	993 kg

Power Options

	Single		Twin	
Mercruiser	OMC	Volvo	Mercruiser	OMC
198	185	200	140	140
228	200	225	165	
260	230	260	170	
	260			

Standard Equipment

BIA certified	Cigarette lighter with chart light
Safety foam flotation	Dash locker
Fire extinguisher	Electronic equipment storage with locking teak door
Teak swim platform	Twin pedestal seats
Hull feature stripes	Large ski storage racks
Venting portlights with screens (2)	Coaming trim panels
Stainless bow rail and fittings	Deluxe vinyl interior
Stainless deck cleats and chocks	Teak accent throughout
Stainless bow and stem eyes	Soft pile indoor/outdoor cockpit carpet
Dual trumpet horn	Rear jump seats
Forward bronze acrylic hatch with screen	25 quart Igloo cooler
International navigation lights	Engine box with sound absorbing liner
Tinted tempered glass windshield	Vinyl upholstered convertible top cover
Windshield wipers (2)	Convertible top with side and aft curtains
Deluxe steering wheel	Battery and battery case
Mechanical steering	Bilge pump
Padded dash	Blower
Deluxe compass	Aluminum fuel tank (80 gal)
Speedometer	Teak cabin door with lock
Tachometer	Upholstered V-berth
Engine hour meter	Soft pile indoor/outdoor cabin carpet
Electric fuel gauge	Plush carpeted headliner
Amp gauge	Head — PORTA POTTI
Oil pressure gauge	Cabin shelving
Temperature gauge	Forward storage area
Trim indicator	Under berth storage
Rheostat controlled annunciator panel	Cabin lights (2)
Courtesy lights	
Clock	

Optional Equipment

Two-tone hull
5" remote control spot-floodlight
Hydraulic trim tabs
Deluxe seating — 1 fold-down and 1 pedestal
AM-FM stereo with tape — 4 speakers
Head — self-contained with pump-out
Galley unit — 2-burner alcohol stove, ice box and sink with water container
Full camper canvas



FORMULA 233-H



FORMULA 233-H

Specifications

Centerline Length	23'3"	7.09 m
Maximum Beam	8'0"	2.44 m
Approximate Weight (Twin 170 Merc)	4228 lbs.	1918 kg
Fuel Capacity	80 gal.	303 l
Maximum Capacity	2190 lbs.	993 kg

Power Options


	Single		Twin	
Mercuriser	OMC	Volvo	Mercuriser	OMC
228	185	200	140	140
260	200	225	165	
	230	260	170	
	260			

Standard Equipment

BIA certified	Cigarette lighter with chart light
Safety foam flotation	Glove box with lock
Fire extinguisher	Electronic equipment storage with locking teak door
Teak swim platform	Deluxe seating — 1 fold-down and 1 pedestal
Hull feature stripes	Large ski storage racks
Venting portlights with screens (2)	Coaming trim panels
Stainless bow rail and fittings	Deluxe vinyl interior
Stainless deck cleats and chocks	Soft pile indoor/outdoor cockpit carpet
Stainless bow and stern eyes	Custom rear jump seats
Dual trumpet horn	Custom engine box with sound absorbing liner
Forward bronze acrylic hatch with screen	Vinyl upholstered convertible top cover
International navigation lights	Convertible top with full camper canvas
Tinted tempered glass windshield	Battery and battery case
Sliding side windows with locks	Bilge pump
Fiberglass hardtop with 2 ceiling lights	Blower
Windshield wipers (2)	Aluminum fuel tank (80 gal)
Deluxe steering wheel	Teak lowered cabin door with lock and screen
Mechanical steering	Fully upholstered cabin interior
Padded dash	Soft pile indoor/outdoor cabin carpet
Deluxe compass	Plush carpeted headliner
Speedometer	Head — PORTA POTTI
Tachometer	Cabin shelving
Engine hour meter	Forward storage area
Electric fuel gauge	V-berth
Amp gauge	Under berth storage
Oil pressure gauge	Cabin lights (2)
Temperature gauge	
Trim indicator	
Rheostat controlled annunciator panel	
Courtesy lights	
Clock	

Optional Equipment

Two-tone hull
5" remote control spot-floodlight
AM-FM stereo with tape — 4 speakers
Head — self-contained with pump-out
Galley unit — 2-burner alcohol stove, ice box and sink with water container
Hydraulic trim tabs



FORMULA 233-CL



FORMULA 233-CL

Specifications

Centerline Length	23'3"	7.09 m
Maximum Beam	8'0"	2.44 m
Approximate Weight (Twin 165 Mercs)	4900 lbs.	2223 kg
Fuel Capacity	100 gal.	379 l
Maximum Capacity	2190 lbs.	993 kg

Power Options

	Single		Twin	
Mercruiser	OMC	Volvo	Mercruiser	OMC
198	185	200	140	140
228	200	225	165	
260	230	260	170	
	260			

Standard Equipment

BIA certified	Electronic equipment storage with locking teak door
Safety foam flotation	Twin pedestal seats
Fire extinguisher	Deluxe vinyl interior
Hull feature stripes	Coaming trim panels
Venting portlights with screens (2)	Large ski storage racks
Stainless bow rail and fittings	Teak rod holders (2)
Stainless deck cleats and chocks	Outriggers and holders (2)
Stainless bow and stern eyes	Rear jump seats
Dual trumpet horn	25 quart Igloo cooler
Forward bronze acrylic hatch with screen	Fiberglass engine box with sound absorbing liner
International navigation lights	Solid teak convertible top cover
Tinted tempered glass windshield	Convertible top with side and aft curtains
Windshield wipers (2)	Battery and battery case
Deluxe steering wheel	Bilge pump
Mechanical steering	Blower
Padded dash	Aluminum fuel tank (100 gal)
Acrylic instrumentation cover	Beige fiberglass liner
Deluxe compass	Teak louvered cabin door with lock
Speedometer	Bronze acrylic entry hatch
Tachometer	Fully upholstered cabin interior
Engine hour meter	Teak accent throughout
Electric fuel gauge	Plush carpeted headliner
Amp gauge	Head — PORTA POTTI
Oil pressure gauge	Cabin shelving
Temperature gauge	Forward storage area
Trim indicator	V-berth
Rheostat controlled annunciator panel	Under berth storage
Courtesy lights	Cabin lights (2)
Clock	Floor storage compartments with solid teak covers
Cigarette lighter with chart light	
Glove box with lock	

Optional Equipment

Two-tone hull
 5" remote control spot-floodlight
 Teak swim, dive and fish platform
 AM-FM stereo with tape — 4 speakers
 Head — self-contained with pump-out
 Galley unit — 2-burner alcohol stove,
 ice box and sink with water container
 Full camper canvas



FORMULA 233-F



FORMULA 233-F

Specifications

Centerline Length	23'3"	7.09 m
Maximum Beam	8'0"	2.44 m
Approximate Weight (Twin 165 Merc)	4800 lbs.	2177 kg
Fuel Capacity	115 gal.	435 l
Maximum Capacity	2590 lbs.	1175 kg

Power Options

Mercruiser	Single		Twin	
	OMC	Volvo	Mercruiser	OMC
198	185	200	140	140
228	200	225	165	
260	230	260	170	
	260			

Standard Equipment

B/A certified	Clock
Safety foam flotation	Cigarette lighter with chart light
Fire extinguisher	Center console grab rail
Hull feature stripes	Forward seat with storage
Stainless bow rail and fittings	Electronic equipment storage with locking teak door
Stainless deck cleats and chocks	Fold-down helm seat
Stainless bow and stern eyes	Fish kill box with two storage drawers
Marine horn	Deluxe Bimini top
International navigation lights	Teak rod holders (2)
Outriggers and holders (2)	Fiberglass engine box with sound absorbing liner
Tinted tempered glass windshield	Battery and battery case
Windshield wiper	Self-bailing cockpit
Stainless steering wheel	Bilge pump
Mechanical steering	Blower
Acrylic instrumentation cover	Aluminum fuel tank (115 gal.)
Deluxe compass	Beige fiberglass liner
Speedometer	Head — PORTA POTTI
Tachometer	Inner console light
Engine hour meter	Teak louvered console door with lock
Electric fuel gauge	Anchor locker with teak louvered door and drain
Amp gauge	Under floor storage compartments with solid teak covers
Oil pressure gauge	Teak accent throughout
Temperature gauge	
Trim indicator	
Rheostat controlled annunciator panel	
Courtesy lights	

Optional Equipment

Two-tone hull
5" remote control spot-floodlight
Hydraulic trim tabs
Teak swim, dive and fish platform
AM-FM stereo with tape — 4 speakers



FORMULA 20



FORMULA 20

Specifications

Centerline Length	20'2"	6.16 m
Maximum Beam	8'0"	2.44 m
Approximate Weight (170 Merc)	2712 lbs.	1230 kg
Fuel Capacity	38 gal.	144 l
Maximum Capacity	1895 lbs.	860 kg

Power Options

Mercruiser	OMC	Volvo
165	185	200
170	200	225
198	230	260
228	260	290
260		
330 TRS		

Standard Equipment

BIA certified	Clock
Safety foam flotation	Cigarette lighter with chart light
Fire extinguisher	Glove box with lock
Hull feature stripes	Passenger grab bar
Stainless boarding ladder and fittings with teak steps	Forward carpeted storage with teak-faced access door
Stainless bow rail and fittings	Individual forward seats with rear lounge and sound absorbing engine compartment
Stainless deck cleats and chocks	or
Stainless bow and stern eyes	Adjustable fold-down sun seats with rear jump seats, sound absorbing engine box, storage tray, drink holders (2) and inspection hatch
Marine horn	Large ski storage racks
Navigation lights	Coaming trim panels
Tinted tempered glass windshield	Deluxe vinyl interior
Windshield wiper	Soft pile indoor/outdoor carpet
Deluxe steering wheel	25 quart Igloo cooler
Mechanical steering	Teak step-in with drink holders (2)
Padded dash	Vinyl upholstered convertible top cover
Acrylic dash panels	Convertible top with side and aft curtains
Speedometer	Battery and battery case
Tachometer	Bilge pump
Engine hour meter	Blower
Electric fuel gauge	Aluminum fuel tank (38 gal.)
Amp gauge	
Oil pressure gauge	
Temperature gauge	
Trim indicator	
Rheostat controlled annunciator panel	
Courtesy lights	

Optional Equipment

- Ski tow eye
- Two-tone hull
- AM-FM stereo with tape — 4 speakers



FORMULA 20-CL



FORMULA 20-CL

Specifications

Centerline Length	20'2"	6.16 m
Maximum Beam	8'0"	2.44 m
Approximate Weight (Twin 228 Merc)	3070 lbs.	1392 kg
Fuel Capacity	55 gal.	144 l
Maximum Capacity	1925 lbs.	873 kg

Power Options

Mercruiser	OMC	Volvo
198	185	200
228	200	225
260	260	260
330 TRS		290

Standard Equipment

BIA certified	Passenger grab bar
Safety foam flotation	Twin pedestal seats
Fire extinguisher	Large ski storage racks
Hull feature stripes	Coaming trim panels
Stainless boarding ladder and fittings with teak steps and platform	Deluxe vinyl interior
Stainless bow rail and fittings	Snap-in indoor/outdoor cockpit carpet
Stainless deck cleats and chocks	Rear jump seats
Stainless bow and stern eyes	25 quart Igloo cooler
Marine horn	Engine box with sound absorbing liner
Navigation lights	Solid teak convertible top cover
Tinted tempered glass windshield	Convertible top with full camper
Windshield wiper	Fiberglass engine well
Deluxe steering wheel	Battery and battery case
Mechanical steering	Bilge pump
Padded dash	Blower
Acrylic dash panels	Aluminum fuel tank (55 gal.)
Speedometer	Beige fiberglass liner
Tachometer	Teak louvered cabin door with lock and screen
Engine hour meter	Bronze acrylic entry hatch with screen
Electric fuel gauge	Fully upholstered cabin interior
Amp gauge	Teak accent throughout
Oil pressure gauge	Soft pile indoor/outdoor cabin carpet
Temperature gauge	Plush carpeted headliner
Trim indicator	Head — PORTA POTTI
Rheostat controlled annunciator panel	V-berth
Courtesy lights	Under berth storage
Clock	Cabin lights (2)
Cigarette lighter with chart light	

Optional Equipment

- Two-tone hull
- 5" remote control spot-floodlight
- Galley unit — 2-burner alcohol
stove, ice box and sink with
water container
- AM-FM stereo with tape — 4 speakers
- Head — self-contained with pump-out
- Deluxe seating — 1 fold-down and
1 pedestal
- Deluxe adjustable fold-down
sun seats



FORMULA 18



FORMULA 18

Specifications

Centerline Length	18'2"	5.55 m
Maximum Beam	92"	2.34 m
Fuel Capacity	38 gal.	144 l
Approximate Weight		
Inboard/Outboard (198 Merc)	2618 lbs.	1188 kg
Outboard	1650 lbs.	748 kg
Maximum Capacity		
Inboard/Outboard	1210 lbs.	549 kg
Outboard	1580 lbs.	681 kg
Maximum Outboard h.p.	170 h.p.	

Power Options

MerCruiser	OMC	Volvo
165	185	200
170	200	225
198	230	260
228	260	
260		

Standard Equipment

BIA certified	Rheostat controlled
Safety foam flotation	annunciator panel
Fire extinguisher	Courtesy lights
Hull feature stripes	Clock
Stainless boarding ladder and fittings	Cigarette lighter with chart light
with teak steps	Glove box with lock
Stainless bow rail and fittings	Passenger grab bar
Stainless deck cleats and chocks	Forward carpeted storage with
Stainless bow and stern eyes	teak-faced access door
Marine horn	Adjustable fold-down sun seats
Navigation lights	Large ski storage racks
Tinted tempered glass windshield	Coaming trim panels
Windshield wiper	Deluxe vinyl interior
Deluxe steering wheel	Teak step-in with drink holders (2)
Mechanical steering	Soft pile indoor/outdoor carpet
Padded dash	Rear lounge seat
Acrylic dash panels	Convertible top with side and
Speedometer	aft curtains
Tachometer	Bilge pump
Engine hour meter	Aluminum fuel tank (38 gal.)
Electric fuel gauge	

Additional Standard Equipment on Stern Drive Models

Battery and battery case	Individual forward seats with rear
Blower	lounge and sound absorbing
25 quart Igloo cooler	engine compartment
Amp gauge	or
Oil pressure gauge	Adjustable fold-down sun seats with
Temperature gauge	rear jump seats, sound absorbing
Trim indicator	engine box, storage tray, drink
Rheostat controlled annunciator	holders (2) and inspection hatch
panel	
Vinyl upholstered convertible	
top cover	


Optional Equipment

- Ski tow eye (stern drive only)
- Two-tone hull
- AM-FM stereo with tape—4 speakers



Family

FORMULA 18 BOW RIDER



FORMULA 18 BOW RIDER

Specifications

Centerline Length	18'2"	5.55 m
Maximum Beam	9'2"	2.34 m
Fuel Capacity	38 gal.	144 l
Approximate Weight (260 Merc)	2648 lbs.	1201 kg
Maximum Capacity	1210 lbs.	549 kg

Power Options

MerCruiser	OMC	Volvo
165	185	200
170	200	225
198	230	260
228	260	
260		

Standard Equipment

BIA certified	Cigarette lighter with chart light
Safety foam flotation	Glove box with lock
Fire extinguisher	Passenger grab bar
Hull feature stripes	Individual forward seats with rear lounge and sound absorbing engine compartment
Ski tow eye	or
Stainless boarding ladder and fittings with teak steps	Adjustable fold-down sun seats with rear jump seats, sound absorbing engine box, storage tray, drink holders (2) and inspection hatch
Stainless bow rail and fittings	Large ski storage racks
Stainless deck cleats and chocks	Coaming trim panels
Stainless bow and stern eyes	Deluxe vinyl interior
Marine horn	Soft pile indoor/outdoor carpet
Navigation lights	25 quart Igloo cooler
Tinted tempered glass windshield	Teak step-in with drink holders (2)
Windshield wiper	Vinyl upholstered convertible top cover
Deluxe steering wheel	Convertible top with side and aft curtains
Mechanical steering	Battery and battery case
Padded dash	Bilge pump
Acrylic dash panels	Blower
Speedometer	Aluminum fuel tank (38 gal.)
Tachometer	Full wrap-around upholstered bow seats
Engine hour meter	Bow storage
Electric fuel gauge	Forward tonneau cover
Amp gauge	
Oil pressure gauge	
Temperature gauge	
Trim indicator	
Rheostat controlled annunciator panel	
Courtesy lights	
Clock	

Optional Equipment

- Two-tone hull
- AM-FM stereo with tape — 4 speakers



SIGNA 20



SIGNA 18



SIGNA 20

Specifications

Centerline	20'3"	6.18 m
Maximum Beam	90"	2.29 m
Approximate Weight (228 Merc)	2920 lbs.	1325 kg
Fuel Capacity	38 gal.	144 l.
Maximum Capacity	1925 lbs.	873 kg

Power Options

MerCruiser	OMC	Volvo
165	185	200
170	200	225
198	230	260
228	260	
260		

Standard Equipment

BIA certified
Safety harness
Fire extinguisher
Hull tie-downs
Storage boarding ladder and fittings with lock steps
Storage bow rails and fittings
Storage deck cleats and fittings
Storage bow and stern eyes
Master horn
Navigation lights
Fixed tempered glass windshield
Windshield wiper
Control steering wheel
Mechanical steering
Padded dash
Speedometer
tachometer
Engine hour meter

Fixed fuel gauge
Fixed oil gauge
Cholesterol gauge
Temperature gauge
Thru-hull
Cushion lights
Clock
Cigarette lighter with clock light
Drive line with 404
Individual forward seats with rear lounge and sound absorbing engine compartment
Adjustable fold down sun seats with rear lounge seats, sound absorbing engine box, storage box, duff bag, (2) and
Inspect or hatch
Deluxe vinyl interior
Coaming trim panels

Large storage racks
Lock step in with drink holders (2)
Self storage outdoor cooler
25 quart cooler
Vine up holdover
Convertible top cover
Convertible top with side and aft curtains
Battery and battery case
Bike pump
Bike rack
Aluminum fuel tank (38 gal.)
Bike through curtain
Full wrap around
Unobstructed bow seats
Lockable bow through compartment
Forward tankless stove

Optional Equipment

Skid plate
Two tone hull
Aft 170 stern with top - 4 boards

SIGNA 18

Specifications

Centerline Length	18'2"	5.55 m
Maximum Beam	89"	2.26 m
Fuel Capacity	38 gal.	144 l.
Approximate Weight Inboard/Outboard (170 Merc)	2572 lbs.	1167 kg
Outboard	1750 lbs.	794 kg
Maximum Capacity Inboard/Outboard	1700 lbs.	771 kg
Outboard	2200 lbs.	998 kg
Maximum Outboard hp	150 hp	

Power Options

MerCruiser	OMC	Volvo
165	185	200
170	200	225
198	230	260
228	260	
260		

Standard Equipment

BIA certified
Safety harness
Fire extinguisher
Hull tie-downs
Storage boarding ladder and fittings with lock steps
Storage bow rails and fittings
Storage deck cleats and fittings
Storage bow and stern eyes
Master horn
Navigation lights
Fixed tempered glass windshield
Windshield wiper
Control steering wheel
Mechanical steering

Padded dash
Adjustable down sun seats
Individual forward seats with rear lounge and sound absorbing engine compartment
Adjustable fold down sun seats with rear lounge seats, sound absorbing engine box, storage box, duff bag, (2) and
Inspect or hatch
Deluxe vinyl interior
Coaming trim panels
Large storage racks


Two step in with drink holders (2)
Self storage outdoor cooler
25 quart cooler
Vine up holdover
Convertible top cover
Convertible top with side and aft curtains
Battery and battery case
Bike pump
Bike rack
Aluminum fuel tank (38 gal.)
Bike through curtain
Full wrap around
Unobstructed bow seats
Lockable bow through compartment
Forward tankless stove

Additional Standard Equipment on Stern Drive Models

Battery and battery case
Bike rack
25 quart cooler
Amp gauge
Cholesterol gauge
Temperature gauge
Thru-hull
Fixed or controlled instrument panel

Vine up holdover convertible top cover
Individual forward seats with rear lounge and sound absorbing engine compartment
Adjustable fold down sun seats with rear lounge seats, sound absorbing engine box, storage box, duff bag, (2) and
Inspect or hatch
Deluxe vinyl interior
Coaming trim panels
Large storage racks

Two drink holders (2) and inspection hatch
Optional Equipment
Skid plate (stern drive only)
Two tone hull
Aft 170 stern with top - 4 boards



Compare. Find more stainless steel hardware, as standard equipment, on all Formula® and Signa® models. Another plus for you, from Thunderbird.®

- Deck cleats and chocks
- Bow rails and fittings
- Bow and stern eyes
- Hatch hinges, adjusters and latches
- Metal thru hull vents
- Waste and water fittings
- Louvered galley vents
- Ladder hinges and step fittings



The above 1979 hull gel coat colors are available on all Thunderbird models along with color coordinated interiors.

Engine and Stern Drive Weights for Aid in Determining Trailer Capacity

OUTBOARD MARINE CORPORATION (OMC)

140 hp	185 hp	200 hp	230 hp	260 hp
689 lbs.	912 lbs.	917 lbs.	922 lbs.	1000 lbs.
(312.5 kg)	(413.7 kg)	(416.0 kg)	(418.2 kg)	(453.5 kg)

MERCURY MARINE (MERCURISER)

140 hp	165 hp	170 hp	198 hp	228 hp	260 hp	330 hp
638 lbs.	766 lbs.	717 lbs.	907 lbs.	926 lbs.	937 lbs.	1326 lbs.
(289.4 kg)	(347.0 kg)	(325.2 kg)	(411.4 kg)	(419.6 kg)	(425.0 kg)	(602.4 kg)

VOLVO PENTA

200 hp	225 hp	260 hp	290 hp	130 hp diesel
940 lbs.	940 lbs.	940 lbs.	950 lbs.	1070 lbs.
(426.3 kg)	(426.3 kg)	(426.3 kg)	(430.8 kg)	(485.7 kg)

Add approximately 6 lbs. per gallon for fuel and approximately 8 lbs. per gallon for water on board.

To attain higher quality and improve features, we reserve the right to change any specifications or prices when necessary.

1979 MODEL YEAR LIMITED WARRANTY

Thunderbird Products Corporation boats are warranted to the original retail purchaser to be free from defects in materials and workmanship. This warranty is for a term of one year beginning with the delivery of the boat to the original retail purchaser.

During this period, warranty repairs will be made without charge by Thunderbird Products Corporation at their plant, or at Thunderbird Products Corporation's option, by an authorized Thunderbird Products Corporation dealer. Transportation charges on Thunderbird Products Corporation boats to and from the factory will be the responsibility of the owner. All repairs made under the terms of this warranty are subject to the authorization of factory-trained personnel whose decision will be final.

This warranty does not apply to—

Carpet, upholstery, canvas, windshield breakage or the cracking, crazing or blistering of gel coat finishes;

Equipment and accessories not manufactured by Thunderbird Products Corporation (engines, outdrives, instruments, controls, propellers, optional electrical equipment and batteries are covered by warranties of the manufacturer supplying those units);

Installation of engines by persons other than Thunderbird Products Corporation; components which have been altered, or the misuse, neglect or lack of proper maintenance of the boat; or

The achievement of any particular performance.

THE WARRANTY PROVIDED HEREIN IS IN LIEU OF ALL OTHER EXPRESS WARRANTIES AND MAY NOT BE EXTENDED OR MODIFIED BY ANYONE. ANY IMPLIED WARRANTIES, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED IN DURATION FOR THE PERIOD OF ONE YEAR FROM THE DATE OF DELIVERY. ALL OTHER OBLIGATIONS OR LIABILITIES, INCLUDING LIABILITY FOR CONSEQUENTIAL DAMAGES ON THE PART OF THE MANUFACTURER, AND THE DEALER, ARE HEREBY EXCLUDED.



THUNDERBIRD CORPORATE OFFICE

P.O. Box 501, Decatur, Indiana 46733, 219/724-9111

MANUFACTURING FACILITIES:

CALIFORNIA — Route 1, Box 8, Paso Robles, California 93446, 805/238-1865

FLORIDA — 14100 Biscayne Blvd., North Miami, Florida 33181, 305/945-7611

INDIANA — P.O. Box 501, Decatur, Indiana 46733, 219/724-9111